

Recommendation 2.0

Recommendation to use ROR as the standard reference in technical infrastructures to organizations where appropriate

Description

[Status: Under development, Date: 2023/11/15 14:31, Version: 001]

Motivation for this Recommendation:

The Helmholtz Association is determined to make their data available according to the FAIR principles, thus making it findable, accessible, interoperable and reusable. In order to achieve interoperability of datasets among various data infrastructures (DIS) within the Helmholtz Association, a common and agreed procedure to refer to the respective Helmholtz Centres (organisations) within and across the DIS is needed.

In order to be able to uniquely and sustainably identify the responsibilities and the context of cooperation within data infrastructures and repositories in the Helmholtz Association, the referencing of the respective centre should in principle be carried out with a persistent identifier (PID).

To achieve this, several stakeholder groups need to be involved. These groups are: 1. Helmholtz Center’s management and policy makers (see recommendation M2.1) 2. Helmholtz Employees contributing to data products (see recommendation M2.2) 3. Helmholtz data stewards and repository maintainers and developers (see recommendation M3.3)

Recommendation

It is recommended that all data infrastructures and repositories of the Helmholtz Association use ROR to identify organizations to resources in data infrastructures wherever and whenever possible.

Binding Convention

	mandatory	conditional	optional
Helmholtz FAIR Principle		mandatory if ROR is available	

Precondition for Implementation:

Precondition 1: The ROR Registry is available for everybody, the content is maintained and further

developed.

Precondition 2: Helmholtz Centres strongly encourage their management and policy makers to register and maintain their ROR (see Recommendation 2.1). *It is also recommended to keep the organization data publicly available. [prüfen, ob letztere Auflage notwedig ist]*

Precondition 3: All Helmholtz employees who publish data or maintain research data refer to the corresponding RORs and keep the data current (see Recommendation 2.2).

Precondition 4: All Helmholtz data stewards and repository maintainers and developers within the Helmholtz Association refer to the corresponding Centres through RORs when describing data sets, publications, or other resources, where possible and appropriate (see Recommendation 2.3).

Related Recommendations

Parent: 0.1

Dependent: 2.1, 2.2, 2.3

Other: none

Contributors

Names of contributors to this recommendation

Content

1. Explanation of the Background and Benefits of the Recommendation

[About](#)

[History and structure](#)

[Current Use of ...](#)

Over the recent years numerous repositories and initiatives have recommended the use of ROR. Among them e.g. Arbeitskreis Forschungsdatenmanagement (AK FDM) in Baden-Württemberg [1]

[Motivation](#)

Research Organisation Registry (ROR) is a community-managed database designed to provide a persistent identifier for every research organisation in the world[1], complementing other commonly used identifiers such as ORCID for researchers and DOI for research outputs and online scientific publications.

Originally, the database was fed with data from the Global Research Identifier Database (GRID). In

2021, it was announced that ROR would take over the role of GRID's leading open organisation identifier.[2] ROR Release v1.0 was the first release after the separation from GRID in March 2022.[3]

The database can be accessed via the official website, an open API or as a downloadable database dump. All ROR identifiers and metadata are provided under the CC0 licence.

2. Possible alternative solutions

3. Consideration of the advantages and disadvantages of implementing the recommendation

(quality of content, limitations, interoperability, sustainability: expected future dissemination / technical availability / funding)

4. The Recommendation

It is recommended that all data infrastructures and repositories of the Helmholtz Association use ROR to identify organizations to resources in data infrastructures wherever and whenever possible.

5. Naming of communities that have already implemented the recommendation

6. Documentation of the test to validate correct implementation

7. Examples of Instances


8. Further Information

References

[1] Entwicklung in Baden-Württemberg: ORCID und ROR IDs als Standard für langfristige Personen- und Institutionen-Identifizierung <https://bausteine-fdm.de/article/view/8272>

Relevant Community Recommendations

9. History of this document



From:

<https://earth-and-environment.helmholtz-metadaten.de/wiki/> - **HMC Community Wiki**

Permanent link:

<https://earth-and-environment.helmholtz-metadaten.de/wiki/doku.php?id=wiki:m2.0>

Last update: **2023/12/20 16:25**

