

Recommendation 4.3

Recommendation to researchers to record IGSNs when taking samples

Description

Status: 23.5.2025

Motivation for this Recommendation:

[shortened from below]

Recommendation

It is recommended that researchers, technicians, and other people who take samples:

- 1. record an IGSN when taking a sample.
- 2. record parent IGSNs when subsampling or splitting physical samples.

Binding Convention:

	mandatory	conditional	optional
Helmholtz FAIR Principle			

Precondition for Implementation:

Related Recommendations

Parent:

Dependent:

Other: none

Contributors

Names of contributors to this recommendation

Content

1. Explanation of the Background and Benefits of the Recommendation

About

History and structure

Current Use of ...

Motivation

2. Possible alternative solutions

3. Consideration of the advantages and disadvantages of implementing the recommendation

(quality of content, limitations, interoperability, sustainability: expected future dissemination / technical availability / funding)

4. The Recommendation

[Format: Wer! macht was! wo! wann! unter welchen Voraussetzungen!]

5. Naming of communities that have already implemented the recommendation

6. Documentation of the test to validate correct implementation

7. Examples of Instances

8. Further Information

References

Relevant Community Recommendations

9. History of this document

From:

<https://earth-and-environment.helmholtz-metadaten.de/wiki/> - HMC

**Earth and Environment
Community Wiki**

Permanent link:

<https://earth-and-environment.helmholtz-metadaten.de/wiki/doku.php?id=wiki:m4.3&rev=1747952213>

Last update: **2025/05/22 22:16**

