Recommendation to data infrastructures to allow to assign IGSNs to data records

Description

Status:

Motivation for this Recommendation:

[shortened from below]

Recommendation

It is recommended, that data infrastructures:

- 1. allow to record an IGSN to identify samples and parent samples and make this data part of the metadata available for harvesting.
- 2. treat IGSN metadata as the primary source of truth and update the internal metadata accordingly as neccesary.

Binding Convention:

| | mandatory | conditional | optional |
|--------------------------|-----------|-------------|----------|
| Helmholtz FAIR Principle | | | |

Precondition for Implementation:

Related Recommendations

Parent:

Dependent:

Other: none

Contributors

Names of contributors to this recommendation

Content

1. Explanation of the Background and Benefits of the Recommendation

<u>About</u>

History and structure

Current Use of ...

<u>Motivation</u>

2. Possible alternative solutions

3. Consideration of the advantages and disadvantages of implementing the recommendation

(quality of content, limitations, interoperability, sustainability: expected future dissemination / technical availability / funding)

4. The Recommendation

[Format: Wer! macht was! wo! wann! unter welchen Voraussetzungen!]

5. Naming of communities that have already implemented the recommendation

6. Documentation of the test to validate correct implementation

7. Examples of Instances

8. Further Information

References

Relevant Community Recommendations

9. History of this document

From: https://earth-and-environment.helmholtz-metadaten.de/wiki/ - HMC Earth and Environment Community Wiki

Permanent link: https://earth-and-environment.helmholtz-metadaten.de/wiki/doku.php?id=wiki:m4.4&rev=1747952392

Last update: 2025/05/22 22:19

